

10/775623

EAST

JM 1-12-06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107597	dielectric adj1 constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:36
L2	8991	surface adj1 resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:36
L3	16157	volume adj1 resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:36
L4	4522	dissipation adj1 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:37
L5	81	l1 and l2 and l3 and l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:37
L6	333295	antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:37
L7	4	l5 and l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:37
L8	11115	l1 and l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:37
L9	3050	l1 with l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:38
L10	34	l9 with coating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:39

L11	473	I9 with low	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:39
L12	203096	antenna.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:39
L13	426	I11 and I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:39
L14	104279	antenna.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:40
L15	324	I11 and I14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:40
L16	88	I2 and I3 and I4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:40
L17	4	I6 and I16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:40
L18	5744	parylene	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:40
L19	433	I1 with I18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:42
L20	0	I19 with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:42

L21	5	l19 and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:46
L22	0	l19 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:43
L23	9	l4 with l18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:43
L24	24	l2 with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:46
L25	19	l3 with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:46
L26	41	l24 or l25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:52
L27	3921	antenna and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:52
L28	84	l27 and silica	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:56
L29	1191	(dissipation adj1 factor).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:56
L30	203096	antenna.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:56

L31	32	I29 and I30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:00
L32	98	I4 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:00
L33	18	I32 and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:02
L34	459	343/873.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:02
L35	112	I1 and I34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:07
L36	4	I4 and I34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:07

Internet Search

SM

1-12-06

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

parylene and properties and galxyl

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 27 for **parylene and properties and galxyl** . (0.08 seconds)

Did you mean: parylene and properties and **galaxy**

Parylene Properties and Characteristics

Typical **Properties** of GALXYL® Films. Data recorded following appropriate ASTM methods. **GALXYL® Parylene N. GALXYL® Parylene C. GALXYL® Parylene D ...**
www.vp-scientific.com/parylene_properties.htm - 45k - [Cached](#) - [Similar pages](#)

Galxyl || Para Tech Coating, INC

Galxyl Parylene is a high quality vacuum deposited plastic film used to coat many types of substrates, ... Download **Galxyl Dimer Properties ...**
www.parylene.com/parylene/supplies/galxyl_dimer.shtml - 9k - [Cached](#) - [Similar pages](#)

[PDF] Publications: Ferrite Ringkerne f r LAN- und EMI-Anwendungen

File Format: PDF/Adobe Acrobat - [View as HTML](#)

parylene (Galxyl) Coating. the name **parylene** is widely used. and well known. ...
properties. on big Toroids There are. wires used with large diameters, ...
delivery.cms-epcos.com/.../Ferrite_Toroids_for_LAN_and_EMI_Applications.pdf - Supplemental Result -
[Similar pages](#)

[PDF] Publications: Ferrite Toroids for LAN and EMI Applications

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Parylene (Galxyl) coating. The name **Parylene** is widely used. and well known. ...
properties. On big toroids there are. wires used with large diameters, ...
www.epcos.com/.../Ferrite_Toroids_for_LAN_and_EMI_Applications.pdf - [Similar pages](#)

[PDF] Ferrites and Accessories Ring Cores

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For small ring cores, we have introduced a **parylene** coating (**Galxyl**) which features a low ... pends on its magnetic **properties**, which vary with frequency. ...
www.epcos.com/inf/80/ds/e0000002.pdf - [Similar pages](#)

Electrosurgical Instruments Coating Paper

Superior dielectric **properties**: the coating must provide electrical insulation to the metal substrates of the ... Para Tech Co., **Galxyl- Parylene** Coating". ...
www.vitekres.com/coating_electrosurgical_instruments.htm - 78k - [Cached](#) - [Similar pages](#)

Method for producing a winding protection for tape-wound cores ...

Jamin et al, "Coil Winding Processes Improved by **Parylene** Conformal Coating", ... lead to considerable modifications of the magnetic **properties**. ...
www.freepatentsonline.com/6849295.html - 32k - [Cached](#) - [Similar pages](#)

[PDF] Ring Cores General Information

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Version Rilsan (Polyamid11) Epoxy (blue) **Galxyl (Parylene)** ... interference within a specific frequency spectrum de- pends on its magnetic **properties**, which vary ...
www.farnell.com/datasheets/7618.pdf - Supplemental Result - [Similar pages](#)

[PDF] Ferrite and Accessories

File Format: PDF/Adobe Acrobat

for small ring cores, we have introduced a **parylene** Coating (**Galxyl**) which features a low Coating. thickness and high dielectric strength. ...

www.epcos.de/.../PDF/PDF__RingCores,property=Data__nn.pdf/ Ring_cores_toroids_general_information.pdf -

Supplemental Result - [Similar pages](#)

EMDM - May/June 2003 - Outsourcing Outlook

Small companies are cautious about disclosing intellectual **property**. ...


Comelec SA (Le Chaux-de-Fonds, Switzerland) applies **parylene** and **galxyl** coatings in ...

www.devicelink.com/emdm/archive/03/05/023.html - 51k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [parylene and properties and **galaxy**](#)

Google ►

Result Page: 1 2 3 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google